

TM-QUATTRO

Workstation system with electric height adjustment.



With the Thur Metall Quattro workstation system, you are investing in maximum flexibility and sustainable productivity. This electrically height-adjustable, customisable solution adapts to your requirements – not the other way round. Whether in a workshop, assembly area or production facility: TM-Quattro creates ergonomic workstations, boosts efficiency and optimises processes. High-performance components ensure it can be used even in demanding applications.

TM-Quattro: Maximum flexibility for your workplace

The TM-Quattro combines ergonomics, durability and a modular system that grows with your needs. From a simple workbench to a fully equipped workstation system – the TM-Quattro is the smart solution for the modern workshop.

1. Ergonomics & comfort

- **Electronic height adjustment:** Ensures optimum ergonomics and supports efficient working through personalised adjustment.
- **Generous stroke:** An adjustment range of 500 mm (total height 675 mm to 1175 mm) offers maximum flexibility for all body heights.
- **Stepless adjustment:** The height can be adjusted precisely and steplessly to suit the task at hand.
- **Above-average speed:** With a lifting speed of up to 30 mm/s, the desk is ready for use in a matter of seconds.



2. Load-bearing capacity & stability

- **High load capacity:** Despite the electronic adjustment, the system offers a lifting capacity of up to 400 kg.
- **Stable base:** High stability, enhanced by the included levelling feet to compensate for uneven floors.
- **Robust worktops:** Choose between multiplex, solid beech or resin-coated versions for the toughest applications.



3. Modular system & expandability

- **Smart storage:** Can be expanded with 1 to 3 base drawers, each featuring a 100% full-extension mechanism and a load capacity of 75 kg.
- **Rear panel construction:** A rear panel with a load capacity of up to 100 kg can be fitted to accommodate additional equipment.
- **Future-proof:** Shelves or a castor unit can be retrofitted at any time.



4. Cost-effectiveness

- **Excellent value for money:** Benefit from the best value for money in this category.
- **Minimal support required:** The system is intuitive and ideal for quick integration into online shops.



Product range



Thur Metall Quattro Workstation System
Depth 750 mm, 40 mm multiplex worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm

Width	Part number	Price
1530 mm	54.472.060	xxx
2030 mm	54.473.060	xxx



Thur Metall Quattro Workstation System
Depth 750 mm, 40 mm synthetic resin worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm

Width	Part number	Price
1530 mm	54.474.060	xxx
2030 mm	54.475.060	xxx



Thur Metall Quattro workstation system
Depth 750 mm, 40 mm multiplex worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm, **one drawer, width 605 x height 150 mm, load capacity 75 kg**, full extension. Cabinet light grey RAL 7035, drawer anthracite grey RAL 7016

Width	Part number	Price
1530 mm	86.166.516	xxx
2030 mm	86.168.516	xxx



Thur Metall Quattro workstation system
Depth 750 mm, 40 mm synthetic resin worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm, **one drawer**, width 605 x height 150 mm, load capacity 75 kg, full extension. Cabinet light grey RAL 7035, drawer anthracite grey RAL 7016

Width	Part number	Price
1530 mm	86.167.516	xxx
2030 mm	86.169.516	xxx

Bring order and comfort to your business today.

Contact us for a no-obligation quote!

Product range



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm multiplex worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 350 mm, one drawer, width 605 x height 150 mm, load capacity 75 kg**, full extension. Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Width	Part number	Price
1530 mm	86.174.516	xxx
2030 mm	86.170.516	xxx



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm synthetic resin worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 350 mm, one drawer, width 605 x height 150 mm, load capacity 75 kg**, full extension. Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Width	Part number	Price
1530 mm	86.175.516	xxx
2030 mm	86.171.516	xxx



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm multiplex worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 700 mm, one drawer, width 605 x height 150 mm, load capacity 75 kg**, full extension. Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Width	Part number	Price
1530 mm	86.176.516	xxx
2030 mm	86.172.516	xxx



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm synthetic resin worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 350 mm, one drawer, width 605 x height 150 mm, load capacity 75 kg**, full extension. Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Width	Part number	Price
1530 mm	86.177.516	€ 2'874.10
2030 mm	86.173.516	€ 3'111.90

Bring order and comfort to your business today.

Contact us for a no-obligation quote!

Sortiment



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm multiplex worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 350 mm, with integrated cable duct featuring 3 electrical modules and 3 blank covers. One drawer, width 605 x height 150 mm, load capacity 75 kg, full extension.** Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Electric	Width	Part number	Price
DE	1530 mm	86.154.516	xxx
DE	2030 mm	86.162.516	xxx
FR	1530 mm	86.150.516	xxx
FR	2030 mm	86.158.516	xxx



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm synthetic resin worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 350 mm, with integrated cable duct featuring 3 electrical modules and 3 blank covers. One drawer, width 605 x height 150 mm, load capacity 75 kg, full extension.** Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Electric	Width	Part number	Price
DE	1530 mm	86.155.516	xxx
DE	2030 mm	86.163.516	xxx
FR	1530 mm	86.151.516	xxx
FR	2030 mm	86.159.516	xxx



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm multiplex worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 700 mm, with integrated cable duct featuring 3 electrical modules and 3 blank covers. One drawer, width 605 x height 150 mm, load capacity 75 kg, full extension.** Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Electric	Width	Part number	Price
DE	1530 mm	86.156.516	xxx
DE	2030 mm	86.164.516	xxx
FR	1530 mm	86.152.516	xxx
FR	2030 mm	86.160.516	xxx



Thur Metall Quattro workstation system

Depth 750 mm, 40 mm synthetic resin worktop, working height from 715 to 1215 mm, workbench legs in NCS S 9000-N black, electrically infinitely variable height adjustment, lifting capacity 400 kg, incl. control unit and Euro/C7 power cable, L3000 mm. **Perforated rear panel, width 1500 x height 700 mm, with integrated cable duct featuring 3 electrical modules and 3 blank covers. One drawer, width 605 x height 150 mm, load capacity 75 kg, full extension.** Cabinet & rear panel light grey RAL 7035, drawer anthracite grey RAL 7016

Electric	Width	Part number	Price
DE	1530 mm	86.157.516	xxx
DE	2030 mm	86.165.516	xxx
FR	1530 mm	86.153.516	xxx
FR	2030 mm	86.161.516	xxx

Bring order and comfort to your business today.

Contact us for a no-obligation quote!

Accessories



EXPERT TIP: It's the right accessories that make your Thur Metall Quattro workstation system complete. Discover our add-ons for even greater organisation and efficiency in your workflow!



TM-Quattro mobility unit

Suitable for retrofitting, comprising:

- 1 crossbar
- 2 footrests
- 1 set of castors with 4 rubber swivel castors, diameter 75 mm, without brakes
- In NCS S-9000-N black

Width	Part number	Price
1500 mm	53.680.060	xxx
2000 mm	53.681.060	xxx



Shelf between the workbench legs

Can be retrofitted, comprising:

- 1 multiplex board, 20 mm thick
- 1 crossbar
- 2 support legs
- Load capacity: 20 kg
- In NCS-S-9000-N black

Width	Part number	Price
1500 mm	53.682.060	xxx
2000 mm	53.683.060	xxx



Adjustable shelf, depth 350 mm

Slotted, with a connecting strip on the long side. Tiltable up to 15 degrees, load capacity 50 kg. Includes two brackets for mounting on the support columns of the perforated rear panel, in RAL 7035 light grey

Width	Part number	Price
1500 mm	89.832.020	xxx
2000 mm	89.833.020	xxx



Spray can holder

Sheet steel, black
W 380 x D 74 x H 70 mm

Part number	Price
81.083.000	xxx



Rolling cabinet/rolling drawer unit

Width 605 x Depth 695 x Height 792 mm, with four drawers (2x 100, 2x 150), load capacity 75 kg, 100% full extension, usable area 0.30 m² (600x500) per drawer

Width	Part number	Price
605 mm	84.422.516	xxx

Bring order and comfort to your business today.

Contact us for a no-obligation quote!

A wide range of applications



PRO TIP: ONE WORKSTATION SYSTEM, ENDLESS POSSIBILITIES. Make the most of the modular flexibility of your TM-QUATTRO workstation system: whether as a simple workbench, a mobile assembly station or an ergonomic workstation.



Bring order and comfort to your business today.
Contact us for a no-obligation quote!

The use of first-class materials, state-of-the-art machine technology and environmentally friendly manufacturing processes, permanent quality control and a highly motivated team of employees guarantee durability in a timelessly beautiful design at an impressive price-performance ratio.

Quality

Thur Metall workstation systems made from high-quality sheet steel are among the favourites in industry and commerce. Whether in the assembly hall or workshop, research laboratory, museum or hospital, small parts warehouse or showroom: Thur Metall impresses wherever tools, stored goods and small parts need to be kept safe, space-saving, clearly arranged and within easy reach.

5-year warranty

You can rely on our high-quality products. That is why we offer our customers a 5-year warranty on the entire TM-Line range. Workbench tops and electronic components are covered by a 1-year warranty.

Certified production

The manufacture of Thur Metall products is based on the following standards:

ISO 9001:2015: Quality management

ISO 14001:2015: Environmental management system

ISO 45001:2018: Occupational health and safety management

High-quality surfaces

Using state-of-the-art powder coating technology for high abrasion resistance.

All colour-variable products are available in **15 standard colours** and **225 colour combinations** at no extra charge.

The three-digit colour code is part of the item number (e.g. .876). Always complete the item number with the desired colour code when placing your order (e.g. **82.034.876**).

.875	Hellblau NCS S 1060-R80 B	.966	Verkehrsgelb RAL 1023
.010	Lichtblau RAL 5012	.240	Feuerrot RAL 3000
.876	Taubenblau NCS S 4040-R70 B	.070	Rubinrot RAL 3003
.170	Ultramarinblau RAL 5002	.110	Reinweiss RAL 9010
.210	Brillantblau RAL 5007	.020	Lichtgrau RAL 7035
.220	Türkisblau RAL 5018	.080	Taubengrau NCS S 4502-B
.030	Resedagrün RAL 6011	.200	Anthrazitgrau RAL 7016
		.060	Schwarz NCS S 9000-N

Colour combinations

.501 NCS 4040 dove blue / NCS 1060 light blue

.502 RAL 7016 anthracite grey / RAL 7035 light grey

.516 RAL 7035 light grey / RAL 7016 anthracite grey

.514 RAL 7035 light grey / RAL 5012 light blue

Sold exclusively through specialist retailers. Further information available at:

Thur Metall AG

Fabrikstrasse 1

CH-8586 Erlen

Tel-Nr. +417165865 00

info@thurmetall.com

www.thurmetall.com