

THUR EXPRESS

Our best offers
for you!




THURMETALL


TM-CLASSIC

UNMISTAKABLE & UNIQUE

5 years
warranty on
our products



Top quality thanks
to housing load capacity
of up to 4 tonnes




DRAWERS, MACHINE CABINETS AND ROLLBOYS



100% volume utilisation = perfect use of space



No-crossbar differential pull-out = smooth-running and quiet




Practical partition material can be used for the entire range


- Load capacity of 400 to 4000 kg with an evenly distributed load
- Drawer load capacity of 75 kg
- Drawer handle with large labelling area
- Drawer usable areas:
Width: 605 mm = 0,30 m², 805 mm = 0,42 m², 1005 mm = 0,54 m²
- Full drawer extension
- KEY Lock – our standard locking system with 2 keys



Central locks with single-drawer blocking system (tilt protection) as standard



Handle with two colour corners for immediate visual recognition and large areas for labelling



Individual drawer safety catch on the right for all mobile cabinets for one-handed operation



Art. no.
65.791.501




48h
express

Art. no.
52.163.501



48h
express

Art. no.
52.162.501



Art. no.
84.366.501



Art. no.
52.160.501

DRAWER CABINETS

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
6 drawers (2 × 100, 2 × 150, 2 × 200 mm)	805	695	1000	4000	65.791.501
	1005	695	1000	4000	86.504.501
7 drawers (2 × 75, 2 × 100, 1 × 150, 2 × 200 mm)	805	695	1000	4000	52.163.501
	1005	695	1000	4000	84.260.501
9 drawers (9 × 100 mm)	805	695	1000	4000	52.162.501
	1005	695	1000	4000	86.432.501
9 drawers (6 × 100, 2 × 150, 1 × 200 mm)	805	695	1200	4000	84.374.501
	1005	695	1200	4000	84.376.501
9 drawers (2 × 100, 6 × 150, 1 × 200 mm)	805	695	1400	4000	84.366.501
	1005	695	1400	4000	84.368.501

MACHINE CABINET

Raised edge, 2 drawers (2 × 100 mm) and 2 pull-out shelves	805	724	1017	4000	52.160.501
	1005	724	1017	4000	86.420.501



Art. no.
84.118.876

**48h
express**



Art. no.
52.240.501



Art. no.
81.221.501



Art. no.
53.569.501



Art. no.
53.696.501

ROLLBOYS

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
2 storage shelves 20 kg	572	733	810	400	84.118.876
5 drawers (2 × 100, 2 × 150, 1 × 200 mm)	605	695	992	400	52.240.501
1 drawer (1 × 150 mm), 2 storage shelves 50 kg	605	695	992	400	81.221.501
5 drawers (2 × 100, 2 × 150, 1 × 200 mm) with multiplex and 1 door	1210	695	1050	400	53.569.501
5 drawers (4 × 100, 1 × 300 mm) with push handle, 1 door, 1 shelf and perforated rear panel (H 700 mm)	1500	700	1050 / 1760	400	53.696.501

PARTITION MATERIAL



Foam inserts



Lengthwise and
transverse dividers
incl. label holders



Plastic boxes
incl. label holders


Matching	1	2	3	Art. no.
52.163.501	•	•		55.861.000
52.162.501		•		55.863.000
86.504.501	•	•		81.226.000
52.160.501		•	•	55.868.000
52.240.501		•		55.867.000

WORKBENCHES AND COMPACT WORKBENCHES



- Load capacity of 360 to 1500 kg with an evenly distributed load
- Workbench leg assemblies made of square tubing 50 × 50 mm
- Workbench frame made from steel profile 40 × 40 mm
- Height adjustment and mounting bracket for floor screw connection can be retrofitted
- Workbench top, multiplex 40 mm
- Full drawer extension
- Drawer usable area 500 x 600 mm = 0.30m²
- Drawer load capacity 75 kg





WORKBENCHES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
2 workbench leg assemblies and multiplex top (40 mm) and 1 crossbar	1500	700	840	600	52.253.876
	2000	700	840	360	52.250.876
	1500	700	940	600	81.152.876
	2000	700	940	360	81.153.876
2 workbench leg assemblies, 1 drawer (1 × 150 mm), multiplex top (40 mm) and 1 crossbar	1500	700	840	600	52.249.501
	2000	700	840	360	52.248.501
	1500	700	940	600	51.867.501
	2000	700	940	360	51.876.501
2 workbench leg assemblies, 3 drawers (2 × 75, 1 × 150 mm), multiplex top (40 mm) and 1 crossbar	1500	700	840	600	65.800.501
	2000	700	840	360	65.730.501
	1500	700	940	600	51.933.501
	2000	700	940	360	51.937.501
2 Quattro workbench leg assemblies, electrically height-adjustable, and multiplex top (40 mm)	1500	750	715 - 1225	400	54.472.060

PARTITION MATERIAL



Foam inserts



Lengthwise and transverse dividers incl. label holders



Plastic boxes incl. label holders

Matching

52.246.000

52.245.000

51.946.501

51.656.501

1

2

3

Art. no.

55.867.000


55.867.000

55.867.000

55.867.000




Art. no.
52.246.501



Art. no.
17.596.876



Art. no.
51.964.501



Art. no.
17.595.876

WORKBENCHES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
1 workbench leg assembly and 1 drawer cabinet with 5 drawers (2 × 100, 2 × 150, 1 × 200 mm)	1500	700	840	1500	52.246.501
and multiplex top (40 mm)	2000	700	840	800	52.245.501
1 workbench leg assembly and 1 drawer cabinet with 6 drawers (3 × 100, 2 × 150, 1 × 200 mm)	1500	700	940	1500	51.946.501
and multiplex top (40 mm)	2000	700	940	800	51.956.501
2 drawer cabinets with 8 drawers (2 × 75, 4 × 100, 1 × 150, 1 × 200 mm), 1 door and multiplex top (40 mm)	2000	700	840	800	51.964.501
2 drawer cabinets with 10 drawers (2 × 75, 6 × 100, 1 × 150, 1 × 200 mm), 1 door and multiplex top (40 mm)	2000	700	940	800	51.970.501
2 drawer cabinets with 8 drawers (2 × 75, 3 × 100, 1 × 150, 1 × 200, 1 × 300 mm), 1 door and multiplex top (40 mm)	2000	700	940	800	51.987.501

UNIVERSAL SUPERSTRUCTURES

Fittings	Width mm	Height mm	Art. no.
2 support columns for mounting on workbench top, 1 perforated rear panels H 500 mm and 1 unperforated rear panel H 200 mm	1500	700	17.595.876
2 support columns for mounting on workbench top, 1 perforated rear panels H 500 mm and 1 unperforated rear panel H 200 mm	2000	700	17.596.876



Art. no.
53.478.876



Art. no.
53.473.876



Art. no.
51.827.501



Art. no.
53.710.501


MOBILE WORKBENCHES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
Mobile workbench with 2 workbench leg assemblies each with 2 swivel and fixed castors (solid rubber, Ø 100 mm) and multiplex top (40 mm)	1500	700	940	400	53.478.876
	2000	700	940	400	53.755.876
Mobile workbench with 2 workbench leg assemblies and lowerable mobile unit (solid rubber, Ø 100 mm) and multiplex top (40 mm)	1500	700	890 / 990	400	53.473.876
	2000	700	890 / 990	400	53.756.876
Mobile workbench XXL with 4 drawers (2 x 100, 2 x 150 mm) and lowerable mobile unit (solid rubber, Ø 100 mm) and multiplex top (40 mm)	1500	700	840 / 890	400	51.827.501
Mobile workbench with 4 drawers (1 x 100, 3 x 200 mm), 1 shelf and 2 swivel and fixed castors each (solid rubber, Ø 100 mm) and multiplex top (40 mm)	1500	700	1050	400	53.710.501



Lowerable mobile unit

The swivel castors can be folded in and out by means of a turning lever. The workbench can be used anywhere as a mobile or stationary unit.



Organisational rear panel

See page 11.



Art. no.
64.995.501



Art. no.
64.606.501



Art. no.
64.799.501




Art. no.
64.798.501

COMPACT WORKBENCHES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
3 drawers (2 × 150, 1 × 200 mm) and 1 door (500 mm)	1500	700	840	1000	64.995.501
3 drawers (2 × 150, 1 × 200 mm) and 1 door (500 mm)	2000	700	840	1000	64.606.501
2 drawers (2 × 150 mm) and 2 doors (350 mm)	1500	700	840	1000	64.799.501
2 drawers (2 × 150 mm) and 2 doors (350 mm)	2000	700	840	1000	64.798.501



Extensive drawer partitioning material



Organisational rear panel
See page II.

PARTITION MATERIAL



Foam inserts



Lengthwise and
transverse dividers
incl. label holders



Plastic boxes
incl. label holders

Matching

	1	2	3	Art. no.
64.995.501		•		82.651.000
64.606.501		•		82.651.000
64.799.501		•		82.651.000
64.798.501		•		82.651.000

UNIVERSAL CABINETS, HEAVY-DUTY AND POWERED COMPARTMENT CABINETS



- Solid sheet hinged doors with rotary-type security lock (including 2 keys)
- Load capacity from 500 to 1300 kg with an evenly distributed load
- Load capacity of adjustable shelf from 100 to 200 kg
- Drawer usable area 900 × 400 mm = 0.36 m²
- Drawer load capacity from 50 kg
- KEY Lock





Art. no.
85.846.501



48h
express


Art. no.
85.855.501



Art. no.
82.852.501



Art. no.
58.747.501



Art. no.
58.749.501



Art. no.
82.946.501

HINGED DOOR CABINETS


Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
2 adjustable shelves (100 kg)	1000	500	1000	500	85.846.501
4 adjustable shelves (100 kg)	1000	500	1950	500	85.847.501
	1250	580	1950	500	85.855.501

SLIDING-DOOR CABINETS


2 adjustable shelves (60 kg)	1000	400	1000	500	58.747.501
4 adjustable shelves (60 kg)	1000	500	1950	500	58.749.501

HEAVY-DUTY CABINETS

3 adjustable shelves (200 kg), 3 drawers (1 × 75, 2 × 100 mm)	1100	620	1950	1300	82.852.501
1 multiplex top (extendable, 75 kg), 2 drawers (1 × 75, 1 × 150 mm), 1 adjustable shelf (200 kg), perforated inner door panels and rear panel	1100	620	1950	1300	82.946.501



Art. no.
85.274.501 / CH



Art. no.
85.269.501 / CH



Art. no.
53.204.501 / Schuko



NOTE

Not suitable for outdoor use without appropriate weather and corrosion protection. The premises where the cabinets are installed should be monitored by a central fire alarm system.

POWERED COMPARTMENT CABINETS

With base (150 mm) as protection against dirt and solid sheet doors folded on all sides to increase theft protection. Each compartment has rear air slits for optimal passive air circulation. One power module per compartment with a choice of either one or two sockets. Doors with cylinder lock, 2 keys per lock. Complies with the Low Voltage Directive 2014 / 35 / EU, EMC Directive 2014 / 30 / EU, RoHS Directive 2011 / 65 / EU (CE conformity). CH: SN SEV 1011:2009/A1:2012

Model	Width mm	Depth mm	Height mm	Shelf dimension (W × D × H mm)	Number of compartments	Sockets per compartment	Art. no.
DE / AT / NL (Schuko)	415	500	1790	330 × 470 × 145	10	1	85.267.501
	415	580	1790	400 × 500 × 400	4	2	85.273.501
CH*	415	500	1790	330 × 470 × 145	10	1	85.269.501
	415	580	1790	400 × 500 × 400	4	2	85.274.501
FR / BE	415	500	1790	330 × 470 × 145	10	1	85.268.501
	415	580	1790	400 × 500 × 400	4	2	85.275.501

* Incl. thermal fuse according to CH regulation.

POWERED HINGED DOOR CABINETS

Model	Width mm	Depth mm	Height mm	Number of adjustable shelves	Number of socket strips	Art. no.
DE / AT / NL (Schuko)	1000	580	1950	4	2	53.204.501
CH*	1000	580	1950	4	2	53.203.501
FR / BE	1000	580	1950	4	2	53.205.501

* Incl. thermal fuse according to CH regulation.

MOBILE WORKSTATIONS AND COMPUTER CABINETS

- Solid sheet hinged doors including 2 keys
- Adjustable and pull-out shelves – height-adjustable according to requirements





Art. no.
85.310.501



Art. no.
51.165.501

MOBILE WORKSTATION

Fittings / Model	Width mm	Depth mm	Height mm	Clear height mm	Art. no.
2 adjustable shelves (60 kg), desk attachment with hinged lid (not lockable) and 1 door	500	500	1300	885	85.310.501

COMPUTER CABINETS

With keyboard drawer (100 mm) including shelf for computer mouse. Monitor compartment suitable for 21-inch monitors (W × D × H: 545 × 660 × 525 mm), equipped with 4 mm glass pane and fan including filter mat. Substructure cabinet with 1 hinged door, 1 power strip (5 × 230 V) with main switch and 1 adjustable and 1 pull-out shelf (load capacity of 75 kg).

DE / AT / NL (Schuko)	605	725	1600	-	51.166.501
CH	605	725	1600	-	51.544.501
FR / BE	605	725	1600	-	51.165.501



Desk attachment with hinged lid



Keyboard drawer with mouse tray



Fan

NC STORAGE AND TRANSPORT SYSTEMS

- Tool cradle partially adjustable in height and inclination
- Housing load capacity of up to 1300 kg with an evenly distributed load





Art. no.
65.772.876



Art. no.
51.123.876

NC TRANSPORT UNIT


Fittings	Width mm	Depth mm	Height mm	Holder type	Load capacity kg	Art. no.
2 fixed and 2 swivel castors (Ø 100 mm), 1 storage shelf with ribbed mat , 4 tool cradles with 8 holders each (32 tool holders)	1095	545	930	ISO / SK 30-40-50	400	65.772.876
	1095	545	930	HSK / A 50-63	400	65.775.876

NC ROLLER SHUTTER CABINET

1 roller shutter with handle and security lock (light grey, similar to RAL 7035), 3 shelves each with 2 × 26 and 1 × 32 mounts (84 tool holders, load capacity of 75 kg)	1005	690	1950	ISO / SK 30-40-50	1300	51.123.876
	1005	690	1950	HSK / A 50-63	1300	51.117.876

TOOL HOLDER SYSTEM

Made of high-quality plastic (ABS), in the same base (base support) there are adjustable inserts that can be configured within a tool holder type (e.g. from SK 30 to SK 50), base support covers in black (standard).




STORAGE AND TRANSPORT SYSTEMS

- Housing load capacities from 400 to 500 kg with an evenly distributed load
- Transport trolley delivered fully assembled
- Solid sheet hinged doors with rotary-type security lock (including 2 keys)
- Drawer usable area $900 \times 400 \text{ mm} = 0.36 \text{ m}^2$
- Drawer load capacity 75 kg





Art. no.
85.862.876



Art. no.
85.746.501*



Art. no.
85.845.501

TRANSPORT UNITS

Fittings	Width mm	Depth mm	Height mm	Container quantity × size	Art. no.
2 fixed and 2 swivel castors with locking brake (Ø 125 mm), 10 supporting rails (4 × 130, 6 × 80 mm)	1015	600	1155	54 × 3 yellow 24 × 4 red	85.862.876

CONTAINER CABINET

2 hinged doors, 9 adjustable shelves (60 kg)	1000	300	1950	60 × 4 red	85.746.501
--	------	-----	------	------------	-------------------

LARGE-CAPACITY CABINET

2 hinged doors with perforated rear panel, 9 adjustable shelves (60 kg), 3 drawers (3 × 100 mm)	1100	620	1950	15 × 5Z yellow 21 × 4 blue 70 × 3 red 40 × 2 yellow	85.845.501
---	------	-----	------	--	-------------------

STORAGE CONTAINERS

The storage containers in different sizes, colours and equipment create clarity and make optimum use of the cabinet volume. The containers are resistant to most oils, acids and alkalis, reduce noise when used on conveyors and when used properly are resistant to temperatures of -20°C to +100°C. Model: polypropylene.

Size	2	3	4	5Z
W × D × H (mm)	101 × 90 × 50	103 × 164 × 75	149 × 231 × 125	210 × 329 × 150



TM-ELEGANCE

APPEALING & INEXPENSIVE

Guaranteed to meet a wide range of customer requirements




Completely assembled delivery* – ready for use right away

Drawer cabinets with full extension

* Except workbenches and packing tables.





DRAWER CABINETS AND MODULAR DRAWER STORAGE WALL

- Load capacity of 400 to 4000 kg with an evenly distributed load
- Drawer load capacity of 75 kg
- Drawer handle with large labelling area
- Drawer usable areas:
Width: 605 mm = 0,30 m², 805 mm = 0,42 m², 1005 mm = 0,54 m²
- Full drawer extension
- KEY Lock – our standard locking system with 2 keys





Art. no.
81.557.516



Art. no.
53.472.516



Art. no.
81.570.516



Art. no.
81.569.516



Art. no.
53.598.516

DRAWER CABINETS

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
6 drawers (2 × 100, 2 × 150, 2 × 200 mm)	805	695	1000	4000	53.472.516
7 drawers (2 × 75, 2 × 100, 1 × 150, 2 × 200 mm)	805	695	1000	4000	81.557.516
9 drawers (2 × 75, 6 × 100, 1 × 150 mm)	805	695	1000	4000	81.569.516
7 drawers (5 × 100, 2 × 200 mm)	1005	695	1000	4000	81.570.516

TM MODULAR DRAWER STORAGE WALL

2 adjustable shelves (75 kg), 6 drawers (2 × 100, 2 × 150, 2 × 200 mm), pallet base (without front panel)	805	695	2100	1000	53.598.516
--	-----	-----	------	------	-------------------

PARTITION MATERIAL



Foam inserts



Lengthwise and transverse dividers incl. label holders



Plastic boxes incl. label holders

Matching	1	2	3	Art. no.
53.472.516		•		53.437.000
81.557.516	•	•		17.589.000
81.569.516	•	•		17.590.000
81.570.516	•	•		17.591.000

WORKBENCHES AND COMPACT WORKBENCHES



- Load capacity of 360 to 1500 kg with an evenly distributed load
- Workbench leg assemblies made of square tubing 50 × 50 mm
- Workbench frame made from steel profile 40 × 40 mm
- Mounting brackets for floor screw connection and height adjustment can be retrofitted
- Workbench top, multiplex 40 mm
- Full drawer extension
- Drawer usable area 500 × 600 mm = 0.30 m²
- Drawer load capacity of up to 75 kg





48h
express

Art. no.
51.050.020



Art. no.
81.573.516



48h
express

Art. no.
53.695.516

WORKBENCHES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
2 workbench leg assemblies and multiplex top (40 mm)	1500	700	840	600	51.048.020
	2000	700	840	360	51.050.020
1 workbench leg assembly, 1 drawer cabinet with 4 drawers (2 × 150, 2 × 200 mm) and multiplex top (40 mm)	1500	700	840	1500	81.573.516
	2000	700	840	800	81.574.516
1 workbench leg assembly, 1 drawer cabinet with 6 drawers (4 × 100, 2 × 200 mm), multiplex top (40 mm) and perforated rear panel	2000	700	940	800	53.695.516

PARTITION MATERIAL



1

Foam inserts



2

Lengthwise and
transverse dividers
incl. label holders



3

Plastic boxes incl.
label holders

Matching

81.573.516

81.574.516

1

2

3

Art. no.

17.592.000

17.592.000



Art. no.
52.190.516

Art. no.
52.193.020



Art. no.
85.203.516



Art. no.
85.207.516



Art. no.
53.711.516

COMPACT WORKBENCHES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
3 drawers (3 × 200 mm, 65 kg), 1 adjustable shelf (galvanised, 30 kg), 1 door (600 mm), leg assemblies with height compensation and multiplex top (40 mm)	1500	700	840	1000	85.203.516
3 drawers (3 × 200 mm, 65 kg), 2 adjustable shelves (galvanised, 30 kg), 2 doors (600 mm), leg assemblies with height compensation and multiplex top (40 mm)	2000	700	840	1000	85.207.516
2 drawers (2 × 200 mm, 75 kg), 2 adjustable shelves (galvanised, 60 kg), 2 doors (500 mm), 1 push handle and 2 fixed and 2 swivel castors with locking brake (solid rubber, Ø 100 mm) and multiplex top (40 mm)	1500	700	1050	600	53.711.516

MOBILE WORKBENCHES

2 workbench leg assemblies with 2 fixed and 2 swivel castors with locking brake (solid rubber, Ø 100 mm), push bar, multiplex top (40 mm), and storage shelf	1075	700	975	400	52.193.020
2 workbench leg assemblies with 2 fixed and 2 swivel castors with locking brake (solid rubber, Ø 100 mm), 1 drawer (1 × 150 mm), push bar, multiplex top (40 mm), and storage shelf	1075	700	975	400	52.190.516



48h
express

Art. no.
59.280.222




48h
express

Art. no.
59.281.222



48h
express

Art. no.
59.301.527




48h
express


Art. no.
59.304.527

WORKBENCHES ECOBLOX (Delivered disassembled for easy transport)

Équipement	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
4 adjustable shelves (galvanised, 30 kg) and multiplex top (20 mm)	1250	725	870	1000	59.280.222
6 adjustable shelves (galvanised, 30 kg) and multiplex top (20 mm)	1850	725	870	1000	59.281.222
3 drawers (2 × 150, 1 × 200, 75 kg), 2 adjustable shelves (galvanised, 30 kg) and multiplex top (20 mm)	1250	725	870	1000	59.301.527
3 drawers (2 × 150, 1 × 200, 75 kg), 2 adjustable shelves (galvanised, 30 kg), 1 door (500 mm) and multiplex top (20 mm)	1850	725	870	1000	59.304.527



Frame including countertop




Drawer set with lock



Hinged door set

SHELVING UNITS, HINGED DOOR CABINETS AND CLOTHES LOCKERS

- Can be expanded and adjusted at any time by adding modules
- Load capacity of 500 kg with an evenly distributed load
- Solid sheet hinged doors with rotary-type security lock
- Solid sheet sliding doors, double folded and reinforced with KEY Lock including 2 keys
- Galvanised adjustable shelves with 60 kg load capacity





Art. no.
82.947.516



Art. no.
53.080.516



Art. no.
53.079.516



Art. no.
53.259.516



Art. no.
53.260.516

HINGED DOOR CABINETS

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
4 adjustable shelves (60 kg)	1000	400	1950	500	82.947.516
	1000	500	1950	500	62.487.516

CLOTHES LOCKER WITH HINGED DOORS

Fittings	Width mm	Depth mm	Height mm	Compartment- ments	Art. no.
2 solid sheet hinged doors, 3 adjustable shelves (galvanised, 60 kg), 1 clothes rack (3 hooks), rotary-type security lock	1000	500	1950	1	53.079.516
2 hinged doors with window, 3 adjustable shelves (galvanised, 60 kg), 1 clothes rack (3 hooks), rotary-type security lock	1000	500	1950	1	53.080.516

CLOTHES LOCKER

Fittings per compartment

1 solid sheet hinged door (right-hinged, fulcrum pin stored), 1 hat rack (25 kg), 1 clothes rack (3 hooks), 1 towel holder, KEY Lock, ventilation slits (on housing cover/base)	900	500	1800	3	53.259.516
	1200	500	1800	4	53.260.516




Art. no.
53.534.222



Art. no.
53.534.222

SIDE PANEL SHELVING UNITS WITH SOLID SHEET METAL (galvanised)

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
2 solid sheet metal side panels incl. base plates, 6 plain shelves and 1 diagonal cross brace	1000	350	2000	480	50.300.222
	1000	500	2000	960	53.534.222
1 add-on shelf incl. base plates and 6 plain shelves	1000	350	2000	480	50.301.222
	1000	500	2000	960	53.535.222



Floor anchoring (M8×75, per piece)

Please follow the assembly instructions provided.
For single shelves, use two per side panel or two per pair of shelf supports.

Art. no. **130.555.000**



Diagonal cross braces

For longitudinal stabilisation of shelves instead of rear panels. Includes screw connection material.
One diagonal cross brace is required for every third add-on unit.

Art. no. **50.026.000**

PACKING TABLES

- Powder-coated surfaces
- Can be expanded at any time with products from the main catalogue
- Fast and easy assembly
- Packing table top made of resin, 40 mm
- Load capacity of 200 kg with an evenly distributed load
- Load capacity of superstructures: 50 kg
- Height-adjustable packing table legs: 740 – 1090 mm





Art. no.
55.790.200



Art. no.
55.791.502



Art. no.
55.792.502



QUICK TIP

Our packing table models are also available in a mobile version. More information can be found in our main catalogue.

PACKING TABLES

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
2 packing table legs height-adjustable, 1 light grey synthetic resin top	1500	800	740 - 1090	200	55.790.200
2 packing table legs height-adjustable, 1 light grey synthetic resin top, 1 packing table superstructure with 2 support pillars, 1 perforated rear panel, 2 adjustable shelves (50 kg) and 10 compartment dividers	1500	800	740 - 1090	200	55.791.502
2 packing table legs height-adjustable, 1 light grey synthetic resin top, 1 packing table superstructure with 2 support pillars, 1 perforated rear panel, 2 adjustable shelves (50 kg), 10 compartment dividers, 1 paper roll holder and 1 cutter	1500	800	740 - 1090	200	55.792.502



WORKSHOP TROLLEY PRO

Improved equipment, more functions and increased ergonomics: The **Workshop Trolley PRO** – from our **TM WORKMAN product line** – offers you even more benefits with its sturdy and high-quality steel plate construction, a chrome steel and plastic storage surface and soft-close drawers. The perfect solution for any professional or private workshop.

- Additional storage space and work surfaces
- Optimum load capacities of 40 kg per drawer and a load capacity of 250 kg for the castors
- Robust, ergonomic push handle
- Full mobility thanks to the smooth-running fixed and swivel castors (two of each) in solid rubber
- Perfect work safety thanks to locking device that prevents unintentional opening in transport
- Optional accessories, such as plastic boxes and extensive accessories for hanging on the perforated side panel



2
YEARS
GUARANTEE

ONLY
WHILE STOCKS
LAST

WORKSHOP TROLLEY PRO

Fittings	Width mm	Depth mm	Height mm	Load capacity kg	Art. no.
Cover made of chrome steel and plastic, central lock including 2 keys, 6 drawers (4 × 75, 1 × 150, 1 × 200 mm, 40 kg), pair of castor supports (height 180 mm, Ø 125 mm)	850	535	955	250	80.718.502





48h
express

READY TO SEND IN ONLY 48 HOURS

Our products already impress with their high quality and reliability, and now another feature has been added to a selected range of products from ThurExpress: fast delivery. From March 2024, customers will benefit from a shortened delivery time of just 48 hours. The delivery time to the destination varies depending on the location in Europe.



SELECTION

Browse through our catalogue and find the right product for your needs.

DELIVERY

Our products are dispatched by lorry and can take more working days depending on the destination in Europe.

PREPARATION

We have received your order and are preparing it for dispatch.

ORDER

Go to our website or contact one of our representatives to place your order.

SATISFACTION

In the best Thur-Metall manner, your satisfaction is not only guaranteed by the quality of the products, but also by our express delivery.



The use of high-quality materials, state-of-the-art machine technology, environmentally friendly production processes, permanent quality control, and a highly motivated team of employees guarantee durability in a timelessly beautiful design at an impressive price x performance ratio.

Quality

Thur Metall drawer cabinets made of high-quality sheet steel and matching workbenches are among the favourites in trade and industry. Whether in the assembly hall or in the workshop, in the research laboratory, museum or hospital, in the small parts warehouse or in the showroom: Thur Metall impresses wherever tools, stored goods and small parts need to be available safely, space-savingly, clearly organised, and within easy reach.

5 year warranty

You can rely on our quality products. That's why we offer our customers a 5-year warranty on the entire range. A warranty period of 1 year applies to workbench tops and electronic parts.

Certified production

The manufacture of Thur Metall products is based on the following standardised principles:

ISO 9001: Quality management.

ISO 14001: Environmental management system.

ISO 45001: Occupational health and safety management system.

High-quality surfaces

Using the latest powder coating technology for high abrasion resistance.

Sold exclusively through specialised dealers.

