


THUR EXPRESS

48h

Ready for dispatch in 48 hours*



THURMETALL

* As long as stocks last

READY TO SEND IN ONLY 48 HOURS

Our products already impress with their high quality and reliability, and now another feature has been added to a selected range of products from ThurExpress: fast delivery. From March 2024, customers will benefit from a shortened delivery time of just 48 hours. The delivery time to the destination varies depending on the location in Europe.




SELECTION

Browse through our catalogue and find the right product for your needs.



ORDER

Go to our website or contact one of our representatives to place your order.



PREPARATION

We have received your order and are preparing it for dispatch.



DELIVERY

Our products are dispatched by lorry and can take more working days depending on the destination in Europe.

SATISFACTION

In the best Thur-Metall manner, your satisfaction is not only guaranteed by the quality of the products, but also by our express delivery.



DRAWER CABINETS

STATIONARY AND MOBILE

Thur Metall drawer cabinets offer a stable and optimally protected storage option for equipment and stored goods of all kinds. Thanks to their high-quality execution, and their wide range of individual configuration options, these robust all-rounders are equipped for a wide variety of requirements and environments. Their special design ensures maximum utilisation. In addition, the housing and drawers can be variably divided, intelligently labelled, equipped with access controls, and finished in practically any colour. Our flexibility is still to be matched.

PRODUCT-SPECIFIC ADVANTAGES:

 Professional labelling With Thur Metall Script labelling software, and fold-up handle for inserting labels	 Corrosion protection Electrophoretic dip painting, and environmentally friendly powder coating	 Impressive safety Safety catches as standard to prevent the drawers from falling out, and single-drawer blocking system to prevent tipping
 Excellent protective properties Against dirt, liquids, and mechanical stress thanks to its closed housing with impact- and abrasion-resistant surface	 Flexible customisation options Thanks to pre-perforated holes for table tops (punch-out), casters, drawers, and locking systems for single conversion and retrofitting	 Optimum order and organisation Thanks to special Thur Metall partition material for every purpose, and perforated, slotted drawers for inserting the labels
 Maximum stability Housing with load capacity of up to 4 t, and drawers with 75 or 200 kg load capacity	 Maximum utilisation Thanks to the full extension, and optimum front height of the drawers	 Perfect running smoothness Due to a traverse-less guided pull-out mechanism

Drawer cabinet

Item no.: 52.162.501

FEATURES:

- Total load capacity 4000 kg at evenly distributed surface load
- Usable dimensions per drawer = 700 x 600 mm = 0.42 m²
- Single-drawer blocking system
- KEY Lock with 2 keys
- Housing in Pigeon blue NCS S 4040-R70 B
- Drawers in Light blue NCS S 1060-R80 B

Width × depth × height (mm)	805 × 695 × 1000
Usable height (mm)	900
Number of front heights (mm)	9 × 100
Drawer usable width (mm)	700
Drawer usable depth (mm)	600
Number of drawers	9
Drawer load capacity (kg)	75
Net weight (kg)	143



Rollboy

Item no.: 52.240.501

FEATURES:

- Total load capacity 400 kg at evenly distributed surface load
- Usable dimensions per drawer = 500 x 600 mm = 0.30 m²
- KEY Lock with 2 keys
- Housing in Pigeon blue NCS S 4040-R70 B
- Drawers in Light blue NCS S 1060-R80 B
- 1 roll-off edge on 4 sides including grooved mat, 1 push bar, 1 pair of roller supports with rubber castors ø 100 mm

Width × depth × height (mm)	605 × 695 × 992
Wheel (ø mm)	100
Usable height (mm)	700
Number of front heights (mm)	2 × 100 / 2 × 150 / 1 × 200
Drawer safety device	Safety catch on the right
Drawer usable width (mm)	500
Drawer usable depth (mm)	600
Number of drawers	5
Drawer load capacity (kg)	75
Height of pair of castor supports (mm)	137
Load capacity of castors (kg)	400
Height of raised edges incl. push bar (mm)	53
Net weight (kg)	100




Drawer cabinet

Item no.: 52.163.501

FEATURES:

- Total load capacity 4000 kg at evenly distributed surface load
- Usable dimensions per drawer = 700 x 600 mm = 0.42 m²
- Exclusive partition material
- Single-drawer blocking system
- KEY Lock with 2 keys
- Housing in Pigeon blue NCS S 4040-R70 B
- Drawers in Light blue NCS S 1060-R80 B

Width × depth × height (mm)	805 × 695 × 1000
Usable height (mm)	900
Number of front heights (mm)	2 × 75 / 2 × 100 / 1 × 150 / 2 × 200
Drawer usable width (mm)	700
Drawer usable depth (mm)	600
Number of drawers	7
Drawer load capacity (kg)	75
Net weight (kg)	130



Drawer cabinet

Item no.: 81.557.516

FEATURES:

- High-quality steel plate construction
- Usable dimensions per drawer = 700 x 600 mm = 0.42 m².
- KEY Lock with 2 keys
- Housing in Light grey RAL 7035
- Drawers in Anthracite grey RAL 7016
- Total load capacity 4000 kg at evenly distributed surface load
- Exclusive partition material

Width × depth × height (mm)	805 × 695 × 1000
Usable height (mm)	900
Number of front heights (mm)	2 × 75 / 2 × 100 / 1 × 150 / 2 × 200
Drawer usable width (mm)	700
Drawer usable depth (mm)	600
Number of drawers	7
Drawer load capacity (kg)	75
Net weight (kg)	126



THURMETALL WORKMAN

WORKSHOP TROLLEY PRO

Improved features, more functions, enhanced ergonomics: The Workshop Trolley PRO from our TM- WORKMAN product line with a sturdy, high-quality sheet steel construction, a chrome steel and plastic storage surface, and soft-close drawers. The perfect solution for any professional or private workshop.



PRODUCT-SPECIFIC ADVANTAGES:



Maximum operating comfort
With stable, ergonomic push bar



Optimum load capacities
40 kg per drawer, 400 kg housing load capacity



Perfect work safety
Central lock prevents unintentional opening while moving



Additionally available
Plastic boxes for the organised storage of small parts



Full mobility
Thanks to two solid rubber swivel castors and two free-movement fixed castors



Additional shelves and working surfaces
Thanks to non-slip, easy-to-clean covers with all-round raised edges

Workshop trolley PRO

Item no.: 80.718.502

The Thur Metall Workman workshop trolley is the solution for you: improved equipment features, more functions, increased ergonomics, and even more benefits. The sturdy steel plate construction consists of a body, drawers, fixed and swivel castors, push handle, chrome steel working surface, and plastic recesses on the sides. The capacities are suitable for average use and, in combination with the Thur Metall Workman workbenches, provide a well-rounded set-up for everyone.

FEATURES:

- High-quality steel plate construction
- Usable dimensions per drawer = 550 x 440 mm = 0.24 m²
- With plastic cover and edge protection
- All drawers with soft-close
- Housing in Anthracite gray RAL 7016 and drawers in Light grey RAL 7035



Width × depth × height (mm)	750 × 530 × 995
Wheel (ø mm)	125
Number of front heights (mm)	4 × 75 / 1 × 150 / 1 × 200
Number of drawers	6
Drawer load capacity (kg)	40
Height of pair of castor supports (mm)	150
Load capacity of castors (kg)	250
Net weight (kg)	62
Garantie	25 months

WORKBENCHES

STATIONARY AND MOBILE

Thanks to the enormous variety of possible combinations, every workstation can be customised and space-savingly set up with workbenches from Thur Metall. The combinable workbench tops, drawer, power unit cabinets, vices, and functional walls can be organised to create optimum working conditions. Naturally in accordance with the latest ergonomic findings and in robust Thur Metall quality - even for the toughest working environments in workshops and heavy industry.

PRODUCT-SPECIFIC ADVANTAGES:

**Maximum stability**

Workbench with a load-bearing capacity of up to 3 t, extremely robust and hardwearing workbench tops

**High design diversity**

Thanks to various components, substructures, materials and surfaces

**Full mobility**

When equipped with rubber or nylon castors for mobile use at different workstations

**Customisable at any time**

Thanks to the flexible installation and conversion of all components in the modular system

**Quick and simple assembly**

Thanks to workbench tops with pre-drilled holes incl. sleeves for fastening all substructures and drawer cabinets

**Maximum ease of use and ergonomics**

Height-adjustable workbench leg assemblies for ergonomically correct working heights, and legroom for seated work - as well as our modular superstructure system

Workbench

Item no.: 51.048.020

FEATURES:

- Workbench leg assembly made of square tube 50 / 50 mm
- Countertop made of multiplex
- Workbench leg assembly in Light grey RAL 7035

Width × depth × height (mm)	1500 × 700 × 840
Countertop width (mm)	1500
Countertop depth (mm)	700
Working height (mm)	840
Countertop thickness (mm)	40
Height of workbench leg assembly (mm)	800
Max. surface load (kg)	450
Net weight (kg)	56



Workbench

Item no.: 51.050.020

FEATURES:

- Workbench leg assembly made of square tube 50 / 50 mm
- Countertop made of multiplex
- Workbench leg assembly in light grey RAL 7035

Width × depth × height (mm) 2000 × 700 × 840

Countertop width (mm) 2000

Countertop depth (mm) 700

Working height (mm) 840

Countertop thickness (mm) 40

Height of workbench leg assembly (mm) 800

Max. surface load (kg) 360

Net weight (kg) 67



Workbench

Item no.: 52.253.876

FEATURES:

- Workbench leg assembly made of square tube 50 / 50 mm
- Countertop made of multiplex
- Crossbar for optimum stability
- Workbench leg assembly in Pigeon blue NCS S 4040-R70 B

Width × depth × height (mm) 1500 × 700 × 840

Countertop width (mm) 1500

Countertop depth (mm) 700

Working height (mm) 840

Countertop thickness (mm) 40

Height of workbench leg assembly (mm) 800

Max. surface load (kg) 600

Net weight (kg) 58



Workbench

Item no.: 52.246.501

FEATURES:

- Workbench leg assembly made of square tube 50 / 50 mm
- Usable dimensions per drawer = 500 x 600 mm = 0.30 m²
- Drawer handles with large labelling option
- Countertop made of multiplex

Width × depth × height (mm)	1500 × 700 × 840
Countertop width (mm)	1500
Countertop depth (mm)	700
Working height (mm)	840
Countertop thickness (mm)	40
Height of workbench leg assembly (mm)	800
Housing's width × depth × height (mm)	605 × 695 × 800
Usable height (mm)	700
Number of front heights (mm)	2 × 100 / 2 × 150 / 1 × 200
Drawer usable width (mm)	500
Drawer usable depth (mm)	600
Number of drawers	5
Drawer load capacity (kg)	75

- Single-drawer blocking system
- KEY Lock with 2 keys
- Workbench leg assembly and housing in Pigeon blue NCS S 4040-R70 B
- Drawers in Light blue NCS S 1060-R80 B

Max. surface load (kg)	1500
Net weight (kg)	131



Workbench

Item no.: 53.478.876

FEATURES:

- Workbench leg assembly made of square tube 50 / 50 mm
- Crossbar for optimum stability
- Countertop made of multiplex
- Workbench leg assembly in Pigeon blue NCS S 4040-R70 B

Width × depth × height (mm)	1500 × 700 × 980
Countertop width (mm)	1500
Countertop depth (mm)	700
Working height (mm)	980
Countertop thickness (mm)	40
Height of workbench leg assembly (mm)	800
Max. surface load (kg)	600
Wheel (ø mm)	100
Height of pair of castor supports (mm)	137
Load capacity of castors (kg)	600
Net weight (kg)	57



Workbench

Item no.: 53.695.516

FEATURES:

- Workbench leg assembly made of square tube 50 / 50 mm
- Usable dimensions per drawer = 500 x 600 mm = 0.30 m²
- Drawer handles with large labelling option
- Countertop made of multiplex
- Single-drawer blocking system
- KEY Lock with 2 keys
- Workbench leg assembly and housing in Light grey RAL 7035
- Drawers in Anthracite grey RAL 7016

Width × depth × height (mm)	2000 × 700 × 940
Countertop width (mm)	2000
Countertop depth (mm)	700
Working height (mm)	840
Countertop thickness (mm)	40
Height of workbench leg assembly (mm)	900
Housing's width × depth × height (mm)	605 × 695 × 900
Usable height (mm)	800
Number of front heights (mm)	4 × 100 / 2 × 200
Drawer usable width (mm)	500
Drawer usable depth (mm)	600
Number of drawers	6
Drawer load capacity (kg)	75

Max. surface load (kg)	800
Net weight (kg)	126



Workbench EcoBloX

Item no.: 59.280.222

FEATURES:

- Supplied in compact separate components for single transport and storage
- Frame with ERLOX coating
- Countertop made of multiplex

Width × depth × height (mm) 1250 × 725 × 870

Flare shelf load capacity (kg) 30

Max. surface load (kg) 1000

Net weight (kg) 75



Workbench EcoBloX

Item no.: 59.301.527

FEATURES:

- Supplied in compact separate components for single transport and storage
- Frame with ERLOX coating
- Drawers in Anthracite grey RAL 7016
- Countertop made of multiplex

Width × depth × height (mm) 1250 × 725 × 870

Number of front heights (mm) 2 × 150 / 1 × 200

Flare shelf load capacity (kg) 30

Max. surface load (kg) 1000

Net weight (kg) 111



Workbench EcoBloX

Item no.: 59.281.222

FEATURES:

- Supplied in compact separate components for single transport and storage
- Frame with ERLOX coating
- Countertop made of multiplex

Width × depth × height (mm) 1850 × 725 × 870

Flare shelf load capacity (kg) 30

Max. surface load (kg) 1000

Net weight (kg) 105



Workbench EcoBloX

Item no.: 59.304.527

FEATURES:

- Supplied in compact separate components for single transport and storage
- Frame with ERLOX coating
- Drawers and hinged door in Anthracite grey RAL 7016
- Countertop made of multiplex

Width × depth × height (mm) 1850 × 725 × 870

Number of front heights (mm) 2 × 150 / 1 × 200

Flare shelf load capacity (kg) 30

Max. surface load (kg) 1000

Net weight (kg) 145



CABINET SYSTEMS

HINGED DOOR CABINETS AND LARGE-CAPACITY CABINETS

Hinged door cabinets from Thur Metall enable the safe and clean storage of a wide range of warehouse goods. Thanks to the flexible use of cabinet accessories and partition material, all cabinets can be individually configured and adapted to your specific storage requirements.

PRODUCT-SPECIFIC ADVANTAGES:



High loads

60 kg or 100 kg per adjustable shelf,
50 kg per drawer / pull-out sheet



Perfect overview

Through viewing window from
UV-resistant, shatterproof acrylic
glass



Optimum order and organisation

Optional installation of drawers and
pull-out shelves for neat and
organised storage of small parts (at
cabinet depth 580 mm), and drawer
cabinets



Excellent protection

Against dirt, liquids, and mechanical
stress thanks to closed housing with
impact- and abrasion-resistant
surface



Secure locking options

With solid sheet or exposed window
doors (rebated, edged from one
piece), and intelligent locking systems

Hinged door cabinet

Item no.: 85.847.501

FEATURES:

- High-quality steel plate construction
- Enclosure load capacity of 500 kg at evenly distributed surface load
- KEY Lock with 2 keys
- Housing in Pigeon blue NCS S 4040-R70 B
- Doors in Light blue NCS S 1060-R80 B

Width × depth × height (mm)	1000 × 500 × 1950
Usable height (mm)	1850
Flare shelf load capacity (kg)	100
Number of adjustable shelves	4
Door type	Hinged doors
Door material	Solid sheet
Net weight (kg)	68




Hinged door cabinet

Item no.: 85.855.501

FEATURES:

- High-quality steel plate construction
- Enclosure load capacity of 500 kg at evenly distributed surface load
- KEY Lock with 2 keys
- Housing in Pigeon blue NCS S 4040-R70 B
- Doors in Light blue NCS S 1060-R80 B

Width × depth × height (mm)	1250 × 580 × 1950
Usable height (mm)	1850
Flare shelf load capacity (kg)	100
Number of adjustable shelves	4
Door type	Hinged doors
Door material	Solid sheet
Net weight (kg)	97



Hinged door cabinet

Item no.: 82.947.516

FEATURES:

- High-quality steel plate construction
- Enclosure load capacity of 500 kg at evenly distributed surface load
- KEY Lock with 2 keys
- Housing in Light grey RAL 7035
- Doors in Anthracite grey RAL 7016

Width × depth × height (mm)	1000 × 400 × 1950
Usable height (mm)	1850
Flare shelf load capacity (kg)	60
Number of adjustable shelves	4
Door type	Hinged doors
Door material	Solid sheet
Net weight (kg)	62



Large-capacity cabinet

Item no.: 85.845.501

FEATURES:

- High-quality steel plate construction
- Total load capacity of 500 kg at evenly distributed surface load
- Usable dimensions per drawer = 900 x 400 mm = 0.36 m²
- KEY Lock with 2 key
- Standard drawer safety catch
- Housing in Pigeon blue NCS S 4040-R70 B
- Doors in Light blue NCS S 1060-R80 B
- Container: 15 storage containers yellow (W x D x H) 212 x 328 x 150 mm
21 storage containers blue (W x D x H) 150 x 125 x 125 mm
70 storage containers red (W x D x H) 105 x 160 x 75 mm
40 storage containers yellow (W x D x H) 102 x 80 x 50 mm



Width x depth x height (mm)	1100 x 620 x 1920
Usable height (mm)	1835
Number of front heights (mm)	3 x 100
Drawer usable width (mm)	900
Drawer usable depth (mm)	400
Number of drawers	3
Drawer load capacity (kg)	75
Flare shelf load capacity (kg)	60
Number of adjustable shelves	9
Door type	Hinged doors
Door material	Solid sheet
Net weight (kg)	158



The use of high-quality materials, state-of-the-art machine technology, environmentally friendly production processes, permanent quality control, and a highly motivated team of employees guarantee durability in a timelessly beautiful design at an impressive price x performance ratio.

Quality

Thur Metall drawer cabinets made of high-quality sheet steel and matching workbenches are among the favourites in trade and industry. Whether in the assembly hall or in the workshop, in the research laboratory, museum or hospital, in the small parts warehouse or in the showroom: Thur Metall impresses wherever tools, stored goods and small parts need to be available safely, space-savingly, clearly organised, and within easy reach.

5 year warranty

You can rely on our quality products. That's why we offer our customers a 5-year warranty on the entire range. A warranty period of 1 year applies to workbench tops and electronic parts.

Certified production

The manufacture of Thur Metall products is based on the following standardised principles:

ISO 9001: Quality management.

ISO 14001: Environmental management system.

ISO 45001: Occupational health and safety management system.

High-quality surfaces

Using the latest powder coating technology for high abrasion resistance.

Sold exclusively through specialised dealers.

